



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Toda

Search

[CATEGORIES](#) → [BACKHOE LOADERS](#) → [JOHN DEERE 410K](#)

John Deere 410K Backhoe Loader

CATEGORY: BACKHOE LOADERS →

MANUFACTURER: JOHN DEERE →

MODEL: 410K →

The John Deere 410K Backhoe Loader is a powerful and versatile machine designed for various construction and excavation tasks. With a backhoe bucket dig force of 15230 lbs and a reach of up to 23.8 ft, this backhoe loader offers impressive performance capabilities. Equipped with a turbocharged engine producing 107.3 hp, a hydraulic system with a pump flow capacity of 42 gpm, and a loader lift capacity of 7200 lbs, the 410K is built to handle tough jobs efficiently and effectively. Its operating weight of 17024 lbs and compact dimensions make it a reliable and maneuverable choice for construction sites of all sizes.

[See all John Deere 410Ks for sale](#)

General Specifications

Backhoe

Bucket Dig Force	15,230 lbs (6,908 kg)
Dig Depth	15 ft (5 m)
Dig Depth - Extended	20 ft (6 m)



Load Height	13 ft (4 m)
Load Height - Extended	16 ft (5 m)
Reach From Swivel	20 ft (6 m)
Reach From Swivel - Extended	24 ft (7 m)

Dimensions

Ground Clearance	1 ft (0 m)
Height to Top of Suspended Cab	9 ft (3 m)
Transport Length	23 ft (7 m)
Transport Width	8 ft (2 m)
Wheelbase	6 ft (2 m)

Engine

Aspiration	Turbocharged
Bore	4 in (9 cm)
Displacement	275 cu in (4,502 cu cm)
Engine Make	John Deere PowerTech Plus
Engine Model	4045HT063
Net Max Torque	317 lbs ft (430 nm)
Net Power	107 hp (80 kw)
Net Torque Rise	0.35

Stroke	29 in (74 cm)
Torque Measured @	1400 rpm

Hydraulic System

Pump Flow Capacity	42 gpm (159 lpm)
Pump Type	Pressure compensated load sensing
Relief Valve Pressure	3625 psi

Loader

Bucket Breakout Force	10,300 lbs (4,672 kg)
Bucket Capacity	1 cu yd (1 cu m)
Bucket Width	92 in (234 cm)
Clearance at Max Dump Height	8 ft (2 m)
Dig Depth	7 in (17 cm)
Lift Capacity	7,200 lbs (3,266 kg)
Reach at Max Dump Height	3 ft (1 m)

Operating Specifications

Alternator Supplied Amperage	120 amps
Cooling System Fluid Capacity	9 gal (33 l)
Front Axle Fluid Capacity	2 gal (7 l)

Hydraulic System Fluid Capacity	25 gal (93 l)
Max Weight	19,061 lbs (8,646 kg)
Oil System Fluid Capacity	4 gal (13 l)
Operating Voltage	12 volts
Operating Weight	17,024 lbs (7,722 kg)
Operating Weight 2wd	16,391 lbs (7,435 kg)
Rear Axle Fluid Capacity	5 gal (18 l)
Tire Size Front - 2wd / 4wd	14.5/75-16.1 SL F-3
Transmission Fluid Capacity	4 gal (15 l)

Tires

Rear Tires Size	21L-24 R-4
------------------------	------------

Transmission

Max Speed	25 mph (40 kph)
Max Speed - Reverse	13 mph (21 kph)
Number of Forward Gears	5
Number of Reverse Gears	3
Transmission Type	5 speed helical-cut gears full PowerShift



John Deere 410Ks currently for sale

A 2014 John Deere 410K From Brandt Tractor LTD for \$70,659.00 USD

A 2014 John Deere 410K From McCoy Construction & Forestry for \$65,000.00 USD

A 2013 John Deere 410K From Stribling Equipment, LLC for \$62,500.00 USD

A John Deere 410K From Foley Incorporated for \$53,000.00 USD

A 2014 John Deere 410K From Five Star Equipment, Inc. for \$50,000.00 USD



Our Main Office

Construction Equipment Guide
470 Maryland Drive
Fort Washington, PA 19034
800-523-2200

About Us

Construction Equipment Guide covers the nation with its four regional newspapers, offering construction and industry news and information along with new and used construction equipment for sale from dealers in your area. Now we extend those services and information to the internet.

Contents Copyrighted 2025, by Construction Equipment Guide, which is a Registered Trademark, registered in the U.S. Patent Office. Registration number 0957323. All rights reserved, nothing may be reprinted or reproduced (including framing) in whole or part without written permission from the publisher. All editorial material, photographs, drawings, letters, and other material will be treated as unconditionally assigned for publication and copyright purposes and are subject to Construction Equipment Guide's unrestricted right to edit and comment editorially. Contributor articles do not necessarily reflect the policy or opinions of this publication.

[Read our privacy policy here.](#)

Mastodon

33.51940 \\ 36.28880 \\ Damascus \\ DI \\ SY \\ Unknown