

RITCHIE Specs

Search over 15900 equipment specs

<u>Home</u>

John Deere 310SL HL Loader Backhoe





Units

Imperial Metric

Dimensions

DimensionspWheelbase7.19 ft incGround Clearance1.02 ft inpDump Height8.96 ft inpDump Reach - General Purpose29.3 inpHeight Over Ext Stick3570 mm (11 ft 9 in)pAtt Angth With Std. Stick24.18 ft in

Q

Shovel Pin Height - General Purpose	11.26 ft in
Width - General Purpose Shovel	2184 mm (7 ft 2 in)
Bucket Rotation - Position 1	190
Width Over Tires	7.16 ft in
Digging Depth	4.89 in

Specifications

Pump Type

Engine				
Engine Output-Net	110 hp			
Battery	12			
Engine Make	John Deere			
Engine Model	PowerTech Plus 4045HT096			
Rated Speed	2240 rpm			
Displacement	274.7 cu in			
Capacities				
Fuel Tank	37 gal			
Hydraulic Tank	11.9 gal			
4wd Front Axle	1.8 gal			
Rear Axle	4.8 gal			
Shovel Breakout - General Purpose	11038.2 lb			
Lift To Full Height - General Purpose Shovel	7489.2 lb			
Shovel Capacity - Standard General Purpose	1.2 yd3			
Transmission				
Transmission Type	Powershift			
Weights				
Operating Weights	18472.6 lb			
Hydraulic				

Axial Piston Pump

Pump Flow Capacity	42.1 gal/min			
Brakes				
Actuation	Hydraulic wit	Hydraulic with Power Assist		
Brakes Type	Wet Multi Dis	SC		
Find {{brand}} {{model}} {{category}} for Sale				
<u>See {{brand}} {{category}} for sale rbauction.c</u> <u>See {{brand}} {{category}} for sale ironplanet.</u> <u>See {{brand}} {{category}} for sale mascus.co</u>	com			
Need help? Contact Us				
		S English		
Company		+		
Popular Searches		+		
Looking for equipment or trucks?				
Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.				
	Equipment for sale on rbauction.com			
	Equipment for sale on ironplanet.com			

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.