


[Home](#)

JCB 4CX Sitemaster Loader Backhoe



Units

Imperial

Metric

Dimensions

Backhoe

| | | |
|---|----------------------------|-------------|
| J | Load Height - Std | 12.6 ft in |
| K | Reach From Swivel - Std | 17.72 ft in |
| L | Dig Depth - Std | 14.18 ft in |
| M | Reach At Load Height - Std | 9.26 ft in |
| | Load Height - Ext | 14.05 ft in |
| | Bucket Dig Force - Ext | 11847 lb |

| | |
|-----------------------------------|-------------|
| Bucket Dig Force - Std | 11847 lb |
| Dig Depth - Ext | 18.15 ft in |
| Reach At Load Height - Ext | 12.31 ft in |
| Load At Max Lift - Ext | 2385.41 lb |
| Load At Max Lift - Std | 4155.72 lb |
| Reach From Swivel - Ext | 21.34 ft in |

Dimensions

| | | |
|---|---------------------------------------|-------------|
| A | Transport Length | 19.39 ft in |
| B | Transport Width | 7.75 ft in |
| C | Transport Height | 11.88 ft in |
| D | Wheelbase | 7.29 ft in |
| E | Ground Clearance | 1.12 ft in |
| | Height To Top Of Suspended Cab | 9.45 ft in |

Loader

| | | |
|---|-------------------------------------|------------|
| G | Clearance At Max Dump Height | 8.83 ft in |
| H | Reach At Max Dump Height | 3.84 ft in |
| I | Dig Depth | 7.09 in |
| | Bucket Breakout Force | 14498 lb |
| | Bucket Width | 92.52 in |
| | Bucket Capacity | 1.31 yd3 |
| | Lift Capacity At Full Height | 9651.84 lb |

Specifications

Engine

| | |
|-------------------------|----------|
| Engine Make | 2257 |
| Gross Power | 100 hp |
| Net Power | 97.6 hp |
| Power Measured @ | 2200 rpm |

| | |
|--|--|
| Torque Measured @ | 1300 rpm |
| Net Max Torque | 307.6 lb ft |
| Aspiration | turbocharged |
| Displacement | 268.6 cu in |
| Operational | |
| Fuel Capacity | 42.3 gal |
| Hydraulic System Fluid Capacity | 34.9 gal |
| Oil System Fluid Capacity | 4 gal |
| Cooling System Fluid Capacity | 4.9 gal |
| Transmission Fluid Capacity | 4.3 gal |
| Front Axle Fluid Capacity | 4.3 gal |
| Rear Axle Fluid Capacity | 4.3 gal |
| Tire Size Front - 2wd / 4wd | 16.9x28 10PR Industrial |
| Rear Tires Size 2wd/4wd | 16.9x28 10PR Industrial |
| Operating Voltage | 12 V |
| Alternator Supplied Amperage | 95 amps |
| Transmission | |
| Transmission Type | powershift |
| Number Of Forward Gears | 4 |
| Number Of Reverse Gears | 4 |
| Max Speed - Forward | 23.7 mph |
| Max Speed Reverse | 23.7 mph |
| Hydraulic | |
| Pump Type | open centre system with twin gear pumps and hydraulic speed control |
| Pump Flow Capacity | 21.4 gal/min |
| Relief Valve Pressure | 3650 psi |

Compare similar models

☐

[New Holland B110C](#)

| | |
|-----------------|----|
| Dig Depth - Std | -- |
|-----------------|----|

| | |
|-----------|--------|
| Net Power | 108 hp |
|-----------|--------|

☐

[Komatsu WB97S-2](#)

| | |
|-----------------|------------|
| Dig Depth - Std | 14.8 ft in |
|-----------------|------------|

| | |
|-----------|---------|
| Net Power | 97.9 hp |
|-----------|---------|

☐

[John Deere 500C](#)

| | |
|-----------------|----|
| Dig Depth - Std | -- |
|-----------------|----|

| | |
|-----------|-------|
| Net Power | 80 hp |
|-----------|-------|

Compare

Find {{brand}} {{model}} {{category}} for Sale

[See {{brand}}_{{category}} for sale rbaction.com](#)
[See {{brand}}_{{category}} for sale ironplanet.com](#)
[See {{brand}}_{{category}} for sale mascus.com](#)

Company



Popular Searches



Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on [rbauction.com](#)

Equipment for sale on [ironplanet.com](#)

Equipment for sale on [mascus.com](#)

[Sell your equipment](#)