



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Toda

Search

[CATEGORIES](#) → [BACKHOE LOADERS](#) → [JCB 4CX-17](#)

JCB 4CX-17 Backhoe Loader

CATEGORY: BACKHOE LOADERS →

MANUFACTURER: JCB →

MODEL: 4CX-17 →

See all JCB 4CX-17s for sale

General Specifications

Backhoe

Bucket Dig Force	12,200 lbs (5,534 kg)
Bucket Dig Force - Extended	12,200 lbs (5,534 kg)
Dig Depth - Extended	22 ft (7 m)
Load Height - Extended	15 ft (4 m)
Reach at Load Height - Extended	11 ft (3 m)
Reach From Swivel	21 ft (6 m)
Reach From Swivel - Extended	25 ft (8 m)



Dimensions

Ground Clearance

1 ft (0 m)

Height to Top of Suspended Cab

10 ft (3 m)

Transport Length

25 ft (7 m)

Transport Width

8 ft (2 m)

Wheelbase

8 ft (2 m)

Engine

Aspiration

Turbo

Displacement

269 cu in (4,402 cu cm)

Engine Model

444

Gross Power

100 hp (75 kw)

Net Max Torque

308 lbs ft (417 nm)

Number of Cylinders

4

Power Measured @

2200 rpm

Torque Measured @

1300 rpm

Hydraulic System

Pump Flow Capacity

41 gpm (155 lpm)

Pump Type

dual gear pump

Relief Valve Pressure

3300 psi

Loader

Bucket Capacity	2 cu yd (1 cu m)
-----------------	------------------

Bucket Width	96 in (244 cm)
--------------	----------------

Clearance at Max Dump Height	9 ft (3 m)
------------------------------	------------

Dig Depth	8 in (20 cm)
-----------	--------------

Reach at Max Dump Height	3 ft (1 m)
--------------------------	------------

Operating Specifications

Alternator Supplied Amperage	95 amps
------------------------------	---------

Cooling System Fluid Capacity	6 gal (23 l)
-------------------------------	--------------

Front Axle Fluid Capacity	4 gal (16 l)
---------------------------	--------------

Fuel Capacity	42 gal (160 l)
---------------	----------------

Hydraulic System Fluid Capacity	34 gal (127 l)
---------------------------------	----------------

Max Weight	18,968 lbs (8,604 kg)
------------	-----------------------

Oil System Fluid Capacity	4 gal (15 l)
---------------------------	--------------

Operating Voltage	12 volts
-------------------	----------

Operating Weight	17,782 lbs (8,066 kg)
------------------	-----------------------

Operating Weight 2wd	17,782 lbs (8,066 kg)
----------------------	-----------------------

Rear Axle Fluid Capacity	4 gal (16 l)
--------------------------	--------------

Tire Size Front - 2wd / 4wd	16.9-24 R4 12 ply
-----------------------------	-------------------

Transmission Fluid Capacity	4 gal (16 l)
-----------------------------	--------------

Turning Radius

17 ft (5 m)

Tires

Rear Tires Size

16.9-24 R4 12 ply

Transmission

Max Speed - Reverse

23 mph (36 kph)

Number of Forward Gears

4

Number of Reverse Gears

4

Transmission Type

JCB powershift



Our Main Office

Construction Equipment Guide

470 Maryland Drive

Fort Washington, PA 19034

800-523-2200

Construction Equipment Guide covers the nation with its four regional newspapers, offering construction and industry news and information along with new and used construction equipment for sale from dealers in your area. Now we extend those services and information to the internet. Making it as easy as possible to find the news and equipment that you need and want.

Contents Copyrighted 2025, by Construction Equipment Guide, which is a Registered Trademark, registered in the U.S. Patent Office. Registration number 0957323. All rights reserved, nothing may be reprinted or reproduced (including framing) in whole or part without written permission from the publisher. All editorial material, photographs, drawings, letters, and other material will be treated as unconditionally assigned for publication and copyright purposes and are subject to Construction Equipment Guide's unrestricted right to edit and comment editorially. Contributor articles do not necessarily reflect the policy or opinions of this publication.

[Read our privacy policy here.](#)

Mastodon

33.51940 \\ 36.28880 \\ Damascus \\ DI \\ SY \\ Unknown