Constantion Consta

Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Toda

Search

<u>CATEGORIES</u> -> <u>BACKHOE LOADERS</u> -> <u>JCB 3CX</u>

Q

JCB 3CX Backhoe Loader



CATEGORY: BACKHOE LOADERS → MANUFACTURER: JCB → MODEL: 3CX →

The JCB 3CX is a powerful and versatile backhoe loader designed to tackle a wide range of construction and excavation tasks with ease. With a backhoe bucket dig force of 11,847 lbs in both standard and extended configurations, the 3CX is ready to handle even the toughest digging projects. Powered by a Tier IV diesel engine, this machine provides reliable performance and fuel efficiency. Equipped with a spacious cab with pre-wired radio speakers and beacon lights, along with front and rear adjustable working lights, the 3CX ensures operator comfort and safety in any work environment. With an impressive loader bucket width of 88 inches, a dump height of 9 feet, and an

EQUIPMENT FINANCING GET PREAPPROVED TODAY @ APP ONLY TO 350K @ \$0 DOWN AVAILABLE @FLEXIBLE TERMS

General Specifications

Backhoe Loading Height ft. (m)	12-4 (3.77) Starting 2024 Model Year
Loader Breakout Force lbs. (kg)	8,285 (3,758) Starting 2024 Model Year
Loader Lift Capacity lbs. (kg)	3,402 (1,543) Starting 2024 Model Year
Loader SAE hp (kW)	74 (55) Starting 2024 Model Year
Max Digging Depth ft. (m)	14-2 (4.33) Starting 2024 Model Year
Operating Weight lbs. (kg)	13,834 (6,275) Starting 2024 Model Year
Travel Speed 4th Gear Fwd mph (kmh)	24.9 (40.1) Starting 2024 Model Year
Travel Speed 4th Gear Fwd MPH (kmh)	22.8 (36.7) Starting 2019 Model Year
Backhoe	
Bucket Dig Force	11,847 lbs (5,374 kg)
Bucket Dig Force - Extended	11,847 lbs (5,374 kg)

Load Height

11 ft (3 m)

_. . . _

Alternator	95	
Battery	1000 CCA (120 amp)	
Front working lights	4 adjustable	
Gauges	Tachometer engine coolant temp fuel level hourmeter clock	
Pre-wire	Radio speakers (cab) beacon (all)	
Rear working lights	4 adjustable	

Engine

Bore	4 in (10 cm)	
Displacement	269 cu in (4,402 cu cm)	
Emissions Certification	Tier IV	
Engine Model	3CX ECO SITE MASTER	
Fuel Type	Diesel	
Gross Power	74 hp (55 kw)	
Net Power	537 hp (400 kw)	
Number of Cylinders	4	
Power Measured @	2200 rpm	
Rated engine speed	1200 rpm	
Stroke	5 in (13 cm)	

Loader

Bucket Breakout Force	8,285 lbs (3,758 kg)
Bucket Width	88 in (224 cm)
Dig Depth	0 in (1 cm)
Dump height	9 ft (3 m)
Lift Capacity	3,364 lbs (1,526 kg)
Load over height	11 ft (3 m)
Reach at Max Dump Height	17 ft (5 m)

Operating Specifications

Alternator Supplied Amperage	95 amps
Cooling System Fluid Capacity	5 gal (19 l)
Front Axle Fluid Capacity	4 gal (16 l)
Hydraulic System Fluid Capacity	27 gal (100 l)
Oil System Fluid Capacity	4 gal (15 l)
Operating Voltage	12 volts
Operating Weight	13,382 lbs (6,070 kg)
Operating Weight 2wd	14,278 lbs (6,476 kg)
Operating Weight 4wd	14,586 lbs (6,616 kg)
Rear Axle Fluid Capacity	4 gal (16 l)
Transmission Fluid Capacity	4 gal (16 l)

Transmission

Max Speed		5 mph (8 kph)	
Number of Forward Gears		4	
Number of Reverse Gears		4	
	MAZO	EQUIPMENT FINANCING	
	\$0 DOWN	Y TO 350K AVAILABLE .E.TERMS	

APPLY NOW

JCB 3CXs currently for sale

A 2023 JCB 3CX From Southwest JCB for \$117,500.00 USD

A 2020 JCB 3CX From Brandt Tractor LTD for \$71,983.00 USD

A 2017 JCB 3CX From Marshall Machinery, Inc. for \$43,900.00 USD

A JCB 3CX From H.O. Penn Machinery for \$42,000.00 USD

A 2018 JCB 3CX From AF Export Equipment LLC for \$41,900.00 USD



Our Main Office Construction Equipment Guide 470 Maryland Drive Fort Washington, PA 19034 800-523-2200 Construction Equipment Guide covers the nation with its four regional newspapers, offering construction and industry news and information along with new and used construction equipment for sale from dealers in your area. Now we extend those services and information to the internet. Making it as easy as possible to find the news and equipment that you need and want.

Contents Copyrighted 2025, by Construction Equipment Guide, which is a Registered Trademark, registered in the U.S. Patent Office. Registration number 0957323. All rights reserved, nothing may be reprinted or reproduced (including framing) in whole or part without written permission from the publisher. All editorial material, photographs, drawings, letters, and other material will be treated as unconditionally assigned for publication and copyright purposes and are subject to Construction Equipment Guide's unrestricted right to edit and comment editorially. Contributor articles do not necessarily reflect the policy or opinions of this publication.

Read our privacy policy here. Mastodon

33.51940 \\ 36.28880 \\ Damascus \\ DI \\ SY \\ Unknown