





Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Toda'

Search

<u>CATEGORIES</u> - BACKHOE LOADERS - INGERSOLL RAND BL275

Ingersoll Rand BL275 Backhoe Loader

CATEGORY: BACKHOE LOADERS →

MANUFACTURER: INGERSOLL RAND →

MODEL: BL275 →

See all Ingersoll Rand BL275s for sale

General Specifications

Backhoe

| Bucket Dig Force | 11,773 lbs (5,340 kg) |
|-------------------|-----------------------|
| Dig Depth | 11 ft (3 m) |
| Load Height | 8 ft (2 m) |
| Loading Height | 7 ft (2 m) |
| Max Digging Depth | 10 ft (3 m) |
| Reach From Swivel | 13 ft (4 m) |

Dimensions



| Height to Top of Suspended Cab | 8 ft (2 m) |
|--------------------------------|--------------------------|
| Transport Length | 15 ft (5 m) |
| Transport Width | 5 ft (2 m) |
| Wheelbase | 6 ft (2 m) |
| Engine | |
| Gross Power | 32 hp (23 kw) |
| Loader | |
| Breakout Force | 3,825 lbs (1,735 kg) |
| Bucket Breakout Force | 955,438 lbs (433,380 kg) |
| Bucket Capacity | 1 cu yd (0 cu m) |
| Bucket Width | 63 in (160 cm) |
| Clearance at Max Dump Height | 6 ft (2 m) |
| Dig Depth | 5 in (13 cm) |
| Lift Capacity | 2,250 lbs (1,021 kg) |
| Reach at Max Dump Height | 3 ft (1 m) |
| SAE - Net | 32 hp (23 kw) |
| Operating Specifications | |
| Fuel Capacity | 15 gal (55 l) |

| Operating Weight 4wd | 6,770 lbs (3,071 kg) |
|-----------------------------|----------------------|
| Tire Size Front - 2wd / 4wd | 10x16.5 |
| Turning Radius | 12 ft (4 m) |

Transmission

Hydrostatic **Transmission Type**

Travel Speed

4Th Gear Fwd

5 mph (7 kph)

REGISTRATION OPENS MAY 13 OCT. 7-9, 2025 | LOUISVILLE, KY















Our Main Office

Construction Equipment Guide 470 Maryland Drive Fort Washington, PA 19034 800-523-2200

About Us

Construction Equipment Guide covers the nation with its four regional newspapers offering

for sale from dealers in your area. Now we extend those services and information to the internet. Making it as easy as possible to find the news and equipment that you need and want.

Contents Copyrighted 2025, by Construction Equipment Guide, which is a Registered Trademark, registered in the U.S. Patent Office. Registration number 0957323. All rights reserved, nothing may be reprinted or reproduced (including framing) in whole or part without written permission from the publisher. All editorial material, photographs, drawings, letters, and other material will be treated as unconditionally assigned for publication and copyright purposes and are subject to Construction Equipment Guide's unrestricted right to edit and comment editorially. Contributor articles do not necessarily reflect the policy or opinions of this publication.

Read our privacy policy here. Mastodon

33.51940 \\ 36.28880 \\ Damascus \\ DI \\ SY \\ Unknown