




<u>Home</u>

Caterpillar 438C Loader Backhoe







Units

8.52 ft in

Imperial

Metric

Dimensions

Reach At Load Height - Ext

Backhoe

| J | Load Height - Std | 12.09 ft in |
|---|----------------------------|-------------|
| K | Reach From Swivel - Std | 18.74 ft in |
| L | Dig Depth - Std | 15.99 ft in |
| М | Reach At Load Height - Std | 5.45 ft in |
| | Dig Depth - Ext | 19.44 ft in |
| | | |

| | Reach From Swivel - Ext | 22.17 ft in | | |
|-----|--------------------------------|-------------|--|--|
| | Load Height - Ext | 14.26 ft in | | |
| Din | nensions | | | |
| А | Transport Length | 18.84 ft in | | |
| В | Transport Width | 7.87 ft in | | |
| С | Transport Height | 12.36 ft in | | |
| D | Wheelbase | 6.89 ft in | | |
| Е | Ground Clearance | 1.1 ft in | | |
| | Height To Top Of Suspended Cab | 9.52 ft in | | |
| Loa | Loader | | | |
| G | Clearance At Max Dump Height | 8.72 ft in | | |
| Н | Reach At Max Dump Height | 2.56 ft in | | |
| I | Dig Depth | 1.58 in | | |
| | Bucket Width | 94.34 in | | |
| | Bucket Capacity | 1.31 yd3 | | |
| | Bucket Breakout Force | 11330.37 lb | | |
| | | | | |
| | | | | |

Specifications

| _ | | | ٠ | | |
|---|----|---------------------|---|---|--------|
| _ | n | $\boldsymbol{\sim}$ | | n | \sim |
| ᆫ | 11 | u | | | ┖ |

| Number Of Cylinders | 4 |
|---------------------|--------------|
| Engine Make | 2236 |
| Engine Model | 3054 |
| Gross Power | 89 hp |
| Net Power | 85 hp |
| Power Measured @ | 2200 rpm |
| Net Torque Rise | 24.1 % |
| Aspiration | Turbocharged |
| Displacement | 244.1 cu in |

Operational

Fuel Capacity 33.9 gal

Operating Weight 4wd 16667 lb

Hydraulic System Fluid Capacity 20.9 gal

Oil System Fluid Capacity 2 gal

Cooling System Fluid Capacity 5.8 gal

Transmission Fluid Capacity 4.8 gal

Front Axle Fluid Capacity 2 gal

Rear Axle Fluid Capacity 6.4 gal

Turning Radius 26.6 ft in

Tire Size Front - 2wd / 4wd 335/80 x R18

Rear Tires Size 2wd/4wd 16.9 x R28

Operating Voltage 12 V

Alternator Supplied Amperage 52 amps

Transmission

Transmission Type Power Shuttle

Number Of Forward Gears 4

Number Of Reverse Gears 4

Max Speed - Forward 19.6 mph

Max Speed Reverse 19.6 mph

Hydraulic

Pump Type Piston

Pump Flow Capacity 42.8 gal/min

Relief Valve Pressure 3000 psi

Compare similar models

John Deere 310K

Net Power 87 hp

| John Deere 310 | | | | |
|---|---|--|--|--|
| Net Power | 70.3 hp | | | |
| John Deere 500C | | | | |
| Net Power | 80 hp | | | |
| Compare | | | | |
| Find {{brand}} {{model}} {{category}} for Sale | | | | |
| See {{brand}}_{{category}} for sale rbauction.com See {{brand}}_{{category}} for sale ironplanet.com See {{brand}}_{{category}} for sale mascus.com | | | | |
| Need help? Contact Us | ② English | | | |
| Company | + | | | |
| Popular Searches | + | | | |
| Looking for equipment or trucks? | | | | |
| Ritchie Bros. sells more new and used industrial equipment and truck | ks than any other company in the world. | | | |
| Equipment | for sale on rbauction.com | | | |
| Equipment f | for sale on ironplanet.com | | | |
| Equipment | for sale on mascus.com | | | |
| Sel | ll your equipment | | | |

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © Privacy Statement| Terms of Use OEM specifications are provided for base units. Actual equipment may vary with options.