

RITCHIE Specs


Search over 15900 equipment specs

<u>Home</u>

Caterpillar 943 LGP Crawler Loader







Units

Imperial Metric

Dimensions

Dimensions

А	Length With Bucket On Ground	17.81 ft in
Е	Ground Clearance	1.11 ft in
В	Width To Outside Of Tracks	6.76 ft in

Q

С	Height To Top Of Cab	9.91 ft in		
G	Clearance At Full Height And Dump	8.77 ft in		
Н	Reach At Dump Height	2.83 ft in		
Undercarriage				
Ι	Track Gauge	66.93 in		
D	Length Of Track On Ground	7.06 ft in		
	Number Of Track Rollers Per Side	6		
	Ground Contact Area	3069.01 in2		
	Ground Pressure	8.48 psi		
	Track Shoe Width	18.12 in		

Specifications

Engine				
Engine Make	2236			
Engine Model	3204			
Net Power	80 hp			
Displacement	317.4 cu in			
Operational				
Operating Weight	26208.6 lb			
Fuel Capacity	42.1 gal			
Hydraulic System Fluid Capacity	15.4 gal			
Static Tipping Load	17707.6 lb			
Breakout Force - Std Bucket	21139 lb			
Bucket Capacity - Struck	1.3 yd3			
Bucket Capacity - Heaped	1.6 yd3			
Max Speed	6 mph			
Hydraulic				

Lower Time

2.2 sec

Compare similar models

Caterpillar 943		
Bucket Capacity - Heaped	1.6 yd3	
Net Power	80 hp	
Operating Weight	25772.1 lb	
Komatsu D50S-15		
Bucket Capacity - Heaped	1.8 yd3	
Net Power	90 hp	
Operating Weight	27227.1 lb	
Komatsu D45S		
Bucket Capacity - Heaped	1.6 yd3	
Net Power	90 hp	
Operating Weight	24118.6 lb	

Compare

Find {{brand}} {{model}} {{category}} for Sale

<u>See {{brand}} {{category}} for sale rbauction.com</u> <u>See {{brand}} {{category}} for sale ironplanet.com</u> <u>See {{brand}} {{category}} for sale mascus.com</u> Need help? Contact Us

S English

÷

4

Company

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.