

RITCHIE Specs


Search over 15900 equipment specs

<u>Home</u>

Caterpillar 953 LGP Crawler Loader







Units

Imperial Metric

Dimensions

Dimensions

A	Length With Bucket On Ground	19.25 ft in
E	Ground Clearance	1.24 ft in
В	Width To Outside Of Tracks	7.16 ft in

Q

С	Height To Top Of Cab	10.1 ft in		
G	Clearance At Full Height And Dump	9.5 ft in		
Н	Reach At Dump Height	3.34 ft in		
Undercarriage				
Ι	Track Gauge	70.87 in		
D	Length Of Track On Ground	7.53 ft in		
	Number Of Track Rollers Per Side	6		
	Ground Contact Area	3565.01 in2		
	Ground Pressure	8.79 psi		
	Track Shoe Width	19.69 in		

Specifications

Engine			
Engine Make	2236		
Engine Model	3204		
Net Power	110 hp		
Displacement	317.4 cu in		
Operational			
Operating Weight	31662.8 lb		
Fuel Capacity	50.8 gal		
Hydraulic System Fluid Capacity	15.4 gal		
Static Tipping Load	19288.3 lb		
Breakout Force - Std Bucket	26395 lb		
Bucket Capacity - Struck	1.7 yd3		
Bucket Capacity - Heaped	2 yd3		
Max Speed	6.5 mph		
Hydraulic			

Lower Time

3 sec

Compare similar models

Caterpillar 953		
Bucket Capacity - Heaped	2 yd3	
Net Power	110 hp	
Operating Weight	31080.8 lb	
Caterpillar 953C		
Bucket Capacity - Heaped	2 yd3	
Net Power	128 hp	
Operating Weight	32895.2 lb	
Caterpillar 955L		
Bucket Capacity - Heaped	2.1 yd3	
Net Power	130 hp	
Operating Weight	30203.4 lb	

Compare

Find {{brand}} {{model}} {{category}} for Sale

<u>See {{brand}} {{category}} for sale rbauction.com</u> <u>See {{brand}} {{category}} for sale ironplanet.com</u> <u>See {{brand}} {{category}} for sale mascus.com</u> Need help? Contact Us

S English

÷

4

Company

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.