

RITCHIE Specs


Search over 15900 equipment specs

<u>Home</u>

Caterpillar 963 LGP Crawler Loader







Units

Imperial Metric

Dimensions

Dimensions

A	Length With Bucket On Ground	20.83 ft in
Е	Ground Clearance	1.45 ft in
В	Width To Outside Of Tracks	7.88 ft in

Q

С	Height To Top Of Cab	10.83 ft in		
G	Clearance At Full Height And Dump	10.3 ft in		
Н	Reach At Dump Height	3.84 ft in		
Undercarriage				
Ι	Track Gauge	72.84 in		
D	Length Of Track On Ground	8.06 ft in		
	Number Of Track Rollers Per Side	6		
	Ground Contact Area	4185.01 in2		
	Ground Pressure	9.75 psi		
	Track Shoe Width	21.66 in		

Specifications

Engine			
Engine Make	2236		
Engine Model	3304		
Net Power	150.2 hp		
Displacement	427.2 cu in		
Operational			
Operating Weight	41092 lb		
Fuel Capacity	69 gal		
Hydraulic System Fluid Capacity	15.9 gal		
Static Tipping Load	27165.4 lb		
Breakout Force - Std Bucket	38227 lb		
Bucket Capacity - Struck	2.2 yd3		
Bucket Capacity - Heaped	2.7 yd3		
Max Speed	6.3 mph		
Hydraulic			

Lower Time

2.3 sec

Compare similar models

Caterpillar 963	
Bucket Capacity - Heaped	2.7 yd3
Net Power	150 hp
Operating Weight	40490.2 lb
Komatsu D60S-7	
Bucket Capacity - Heaped	2.4 yd3
Net Power	155 hp
Operating Weight	39021.9 lb
Komatsu D65S-7	
Bucket Capacity - Heaped	2.4 yd3
Net Power	160 hp
Operating Weight	39683.3 lb

Compare

Find {{brand}} {{model}} {{category}} for Sale

<u>See {{brand}} {{category}} for sale rbauction.com</u> <u>See {{brand}} {{category}} for sale ironplanet.com</u> <u>See {{brand}} {{category}} for sale mascus.com</u> Need help? Contact Us

S English

÷

4

Company

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.