

Search over 15900 equipment specs


Q

<u>Home</u>

### **Caterpillar D5M LGP Crawler Tractor**







Units Imper

Imperial N

Metric

#### **Dimensions**

Dimensions

A Length W/ Blade

16.81 ft in

В	Width Over Tracks	9.06 ft in	
С	Height To Top Of Cab	10 ft in	
D	Length Of Track On Ground	8.55 ft in	
Е	Ground Clearance	1.44 ft in	
F	Length W/O Blade	12.21 ft in	
Undercarriage			
G	Track Gauge	6.57 ft in	
Н	Standard Shoe Size	24.02 in	
	Number Of Shoes Per Side	44	
	Ground Pressure	5.64 psi	
	Ground Contact Area	4924 in2	
	Number Of Track Rollers Per Side	7	

# Specifications

Engine	

**Cooling System Fluid Capacity** 

**Engine Oil Capacity** 

6
2236
3116T
121 hp
110 hp
2100 rpm
402.8 cu in
Turbocharged
27800 lb
57.6 gal

12.2 gal

6.9 gal

Hydraulic Fluid Capacity	8.5 gal
Powertrain Fluid Capacity	27.8 gal
Final Drives Fluid Capacity	1.6 gal
Operating Voltage	24 V
Alternator Supplied Amperage	70 amps
Transmission	
Transmission Type	Power Shift
Number Of Forward Gears	3
Number Of Reverse Gears	3
Max Speed - Forward	6.2 mph
Max Speed - Reverse	7.5 mph
Hydraulic System	
Pump Type	Piston
Relief Valve Pressure	3000 psi
Pump Flow Capacity	25.1 gal/min
Standard Blade	
Width	11.1 ft in
Height	35.9 in
Capacity	2.7 yd3
Cutting Depth	19.4 in

# Find {{brand}} {{model}} {{category}} for Sale

 $\underline{See \ \{\{brand\}\}\ \{\{category\}\}\ for\ sale\ rbauction.com}}$ 

See {{brand}} {{category}} for sale ironplanet.com

See {{brand}} {{category}} for sale mascus.com

English

Company +

Popular Searches

#### Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.