



01480 773542 Search




MENU









Genie Z-45/25 DC or Bi-Energy Key Facts



MAX. WORKING HEIGHT: 15.87m



MAX. HORIZONTAL OUTREACH: 7.62m



TRAVEL WIDTH: 1.79m



LIFT CAPACITY: 227kg



WEIGHT: 6,963kg



POWER SOURCE: Battery, Diesel



NEED SOME HELP?

Fill in your details below and a member of our team will get back to you shortly. Need some help? Call us on 01480 773542 or email sales@accessplatforms.co.uk

ENQUIRE NOW

Genie Z-45/25 DC or Bi-Energy Key Facts

- Choose 100% battery power or bi-energy flexibility
- Zero tail swing and 1.83m inside turning radius

- Fully proportional controls for smooth operation
- 3mph top speed and 30% gradeability
- Both versions available with a 1.5m jib, Z-45/25J DC and Z-45/25J Bi-Energy

Quiet, clean and energy efficient, the Genie Z-45/25 DC has a powerful electric motor and the battery capacity to work a full shift on a single charge. For additional flexibility, choose the Genie Z-45/25 Bi-Energy with diesel power for outdoors and emissions-free 48V DC electric for indoor work. Jib option available on both versions.

SPECIFICATIONS

Max. Working Height15.87mMax. Horizontal Outreach7.62mLift Capacity227kg

Power Source Battery, Diesel

Weight 6,963kg
Travel Width 1.79m

Lifting Mechanism Articulated Boom

Chassis Type Electric Self propelled

CAN'T FIND WHAT YOU'RE LOOKING FOR?

Call our team today on 01480 773542 or contact us to help you find the right equipment.

CONTACT US

PRODUCTS	+
MANUFACTURERS	+

OUR COMPANY

CONTACT US

SIGN UP TO OUR NEWSLETTER





© 2025 Access Platforms Sales. T&Cs | Privacy | Cookies Website by matm