

RITCHIE Specs

Search over 15900 equipment specs

<u>Home</u>

Komatsu D20A-5 Crawler Tractor





Dimensions

Dimensions

A	Length W/ Blade	11.32 ft in
В	Width Over Tracks	5.29 ft in
С	Height To Top Of Cab	7.09 ft in
D	Length Of Track On Ground	5.53 ft in

Q

(

Е	Ground Clearance	1.02 ft in		
F	Length W/O Blade	8.09 ft in		
Undercarriage				
G	Track Gauge	4.3 ft in		
Н	Standard Shoe Size	11.82 in		
	Number Of Track Rollers Per Side	5.		
	Number Of Shoes Per Side	37		
	Ground Pressure	4.12 psi		
	Track Pitch	5.32 in		

Specifications

Engine	
Number Of Cylinders	4
Engine Make	2238
Engine Model	4D94-2N
Gross Power	39 hp
Power Measured @	2450 rpm
Max Torque	108.5 lb ft
Displacement	179.5 cu in
Operational	
Operating Weight	7848.5 lb
Fuel Capacity	15.9 gal
Cooling System Fluid Capacity	3.5 gal
Transmission	
Transmission Type	DD
Number Of Forward Gears	3
Number Of Reverse Gears	2
Max Speed - Forward	4.6 mph

Max Speed - Reverse	4.1 mph
Hydraulic System	
Relief Valve Pressure	2204.7 psi
Pump Flow Capacity	14.1 gal/min
Standard Blade	
Width	7.2 ft in
Height	23.3 in
Capacity	1 yd3
Cutting Depth	13.8 in

Compare similar models

Komatsu D20A-7E	
Operating Weight	8002.8 lb
Hitachi DX45-C Landy	
Operating Weight	8840.6 lb
Furukawa FD40P	
Operating Weight	9347.7 lb
Compare	

Find {{brand}} {{model}} {{category}} for Sale

See {{brand}} {{category}} for sale rbauction.com See {{brand}} {{category}} for sale ironplanet.com See {{brand}} {{category}} for sale mascus.com Need help? Contact Us

S English

÷

4

Company

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.