



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Toda

Search

[CATEGORIES](#) → [CRAWLER DOZERS](#) → [KOMATSU D20P-6A](#)

# Komatsu D20P-6A Crawler Dozer

**CATEGORY:** CRAWLER DOZERS →

**MANUFACTURER:** KOMATSU →

**MODEL:** D20P-6A →

The Komatsu D20P-6A Crawler Dozer offers reliable performance and efficiency in a compact package. With a powerful 40 hp engine and a standard blade width of 8.4 ft, this dozer is suitable for a variety of applications. Its maneuverability is enhanced by dimensions such as a ground clearance of 1.2 ft and a track pitch of 5.4 in, making it easy to navigate rough terrain. The machine's operating weight of 8686.3 lbs ensures stability and control during operation, while its durable undercarriage design with 37 shoes per side provides traction and stability in any ground condition. Reach maximum productivity with the Komatsu D20P-6A Crawler Dozer.

[See all Komatsu D20P-6As for sale](#)

## General Specifications

### Dimensions

|                           |            |
|---------------------------|------------|
| Ground Clearance          | 1 ft (0 m) |
| Height - Top of Cab       | 8 ft (3 m) |
| Length of Track on Ground | 6 ft (2 m) |



|                   |             |
|-------------------|-------------|
| Length w/ Blade   | 11 ft (3 m) |
| Length w/o Blade  | 8 ft (3 m)  |
| Width Over Tracks | 8 ft (3 m)  |

### Engine

|                     |                         |
|---------------------|-------------------------|
| Displacement        | 164 cu in (2,691 cu cm) |
| Engine Model        | 4D95S                   |
| Gross Power         | 40 hp (30 kw)           |
| Number of Cylinders | 4                       |
| Power Measured @    | 2450 rpm                |

### Operating Specifications

|                  |                      |
|------------------|----------------------|
| Operating Weight | 8,686 lbs (3,940 kg) |
|------------------|----------------------|

### Standard Blade

|        |               |
|--------|---------------|
| Height | 23 in (59 cm) |
| Width  | 8 ft (3 m)    |

### Transmission

|                         |    |
|-------------------------|----|
| Number of Forward Gears | 3  |
| Number of Reverse Gears | 2  |
| Final Drive Ratio       | 22 |

# Undercarriage

---

|                                  |               |
|----------------------------------|---------------|
| Number of Shoes per Side         | 37            |
| Number of Track Rollers per Side | 5             |
| Standard Shoe Size               | 20 in (51 cm) |
| Track Gauge                      | 5 ft (1 m)    |
| Track Pitch                      | 5 in (14 cm)  |



**H.O. PENN CAT**  
0% FOR 24 MONTHS  
INCLUDES COMPLIMENTARY MACHINE INSPECTION  
**CAT® REBUILD PROGRAM**

Purchase must occur by 12/31/20. Offer limited to units approved by Caterpillar Financial Services Corporation. Not all customers will qualify. Offer may change without prior notice. Free Pickup and Delivery for Complete Component Rebuilds performed in our shop within a 100-mile drive time. For complete machine details, R.O. Pen will provide for delivery. Maximum up to \$1,500,000. Additional terms and conditions may apply.

**APPLIES TO EXCAVATOR MODELS: 313-395**



## Our Main Office

Construction Equipment Guide  
470 Maryland Drive  
Fort Washington, PA 19034  
800-523-2200

## About Us

Construction Equipment Guide covers the nation with its four regional newspapers, offering construction and industry news and information along with new and used construction equipment for sale from dealers in your area. Now we extend those services and information to the internet. Making it as easy as possible to find the news and equipment that you need and want.

Contents Copyrighted 2025, by Construction Equipment Guide, which is a Registered Trademark, registered in the U.S. Patent Office. Registration number 0957323. All rights reserved, nothing may be reprinted or reproduced (including framing) in whole or part without written permission from the publisher. All editorial material, photographs, drawings, letters, and other material will be treated as unconditionally assigned for publication and copyright purposes and are subject to Construction Equipment Guide's unrestricted right to edit and comment editorially. Contributor articles do not necessarily reflect the policy or opinions of this publication.

[Read our privacy policy here.](#)

Mastodon

33.51940 \\ 36.28880 \\ Damascus \\ DI \\ SY \\ Unknown