
RITCHIE Specs

Q

Search over 15900 equipment specs

<u>Home</u>

Komatsu D31E-20 Crawler Tractor



Units Imperial Metric

Dimensions

Undercarriage

G Track Gauge 4.76 ft in

H Standard Shoe Size 13 in

Ground Contact Area 1923.56 in 2

Ground Pressure 5.95 psi

Specifications

Engine

Number Of Cylinders 4

Engine Make 2238

Engine Model S4D102E

Net Power 70 hp

Power Measured @ 2350 rpm

Displacement 239.3 cu in

Aspiration Turbocharged

Operational

Operating Weight 13867.1 lb

Fuel Capacity 30.4 gal

Cooling System Fluid Capacity 5.9 gal

Engine Oil Capacity 3.7 gal

Powertrain Fluid Capacity 3.5 gal

Final Drives Fluid Capacity 2.6 gal

Transmission

Transmission Type Hydroshift

Number Of Forward Gears 3

Number Of Reverse Gears 3

Max Speed - Forward 4.1 mph

Max Speed - Reverse 4.5 mph

Hydraulic System

Pump Type gear type

Relief Valve Pressure 2494.7 psi

Compare similar models John Deere 550A **Net Power** 78 hp **Operating Weight** 15400 lb Caterpillar D3B **Net Power** 65 hp **Operating Weight** 15161.2 lb John Deere 450B **Net Power** 65 hp **Operating Weight** 14500 lb Compare

Find {{brand}} {{model}} {{category}} for Sale

See {{brand}}.{{category}} for sale rbauction.com
See {{brand}}.{{category}} for sale ironplanet.com
See {{brand}}.{{category}} for sale mascus.com

English

Company +

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.