


Search over 15900 equipment specs

Q

Home <u>Crawler Tractor</u> <u>Komatsu</u> D31PL-20E

Komatsu D31PL-20E Crawler Tractor



Units Imperial Metric

Dimensions

Dimensions

A Length W/ Blade 12.72 ft in

B Width Over Tracks 9.68 ft in

C Height To Top Of Cab 8.98 ft in

D Length Of Track On Ground 7.17 ft in

E Ground Clearance 1.25 ft in

F Length W/O Blade 9.95 ft in

Undercarriage

G Track Gauge 6.24 ft in

H Standard Shoe Size 41.34 in

Number Of Track Rollers Per Side 6

Specifications

Engine

Number Of Cylinders 4

Engine Make 2238

Engine Model S4D102E-1-A

Gross Power 71 hp

Power Measured @ 2350 rpm

Displacement 239.3 cu in

Operational

Operating Weight 15851.3 lb

Transmission

Transmission Type HS

Number Of Forward Gears 3

Number Of Reverse Gears 3

Standard Blade

Width 11.3 ft in

Height 21.5 in

Compare similar models

Komatsu D39P-1

Operating Weight	16005.6 lb
John Deere 450G	
Operating Weight	15932 lb
John Deere 450G LT	
Operating Weight	15732 lb
Compare	
Find Komatsu D31PL-20E Crawler Tractor for Sale	
See Komatsu Crawler Tractor for sale rbauction.com See Komatsu Crawler Tractor for sale ironplanet.com	
See Komatsu Crawler Tractor for sale mascus.com	
Need help? Contact Us	
	€ English
	♠ English
Need help? Contact Us	English
Need help? Contact Us Company	+
Need help? Contact Us Company Popular Searches	+
Need help? Contact Us Company Popular Searches Looking for equipment or trucks?	+ the world.
Need help? Contact Us Company Popular Searches Looking for equipment or trucks? Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in	+ the world.
Need help? Contact Us Company Popular Searches Looking for equipment or trucks? Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in Equipment for sale on rbauction.com	the world. om

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.