
Search over 15900 equipment specs

<u>Home</u>

Komatsu D31PX-21 KOMSTAT II Crawler Tractor



Dimensions

Dimensions

Α	Length W/ Blade	13.11 ft in
В	Width Over Tracks	7.42 ft in
С	Height To Top Of Cab	8.83 ft in

E **Ground Clearance** 1.25 ft in

Undercarriage

Track Gauge 5.42 ft in Standard Shoe Size 24 in **Track Pitch** 65 in Number Of Track Rollers Per Side 6 **Ground Pressure** 4.12 psi Number Of Shoes Per Side 40 **Ground Contact Area** 4061 in2

Specifications Engine **Number Of Cylinders** 4 **Engine Make** 2238 **Engine Model** SAA4D102E-2 **Net Power** 75 hp **Displacement** 240 cu in Aspiration Turbocharged Operational **Operating Weight** 16870 lb **Fuel Capacity** 43.6 gal **Cooling System Fluid Capacity** 7.1 gal **Engine Oil Capacity** 3.3 gal

Transmission

Hydraulic Fluid Capacity

Final Drives Fluid Capacity

Transmission Type dual-path hydrostatic transmission

12.4 gal

0.9 gal

3

Number Of Forward Gears

Number Of Reverse Gears

Max Speed - Forward	5.3 mph	
Max Speed - Reverse	5.3 mph	
Hydraulic System		
Relief Valve Pressure	2990 psi	
Standard Blade		
Width	10.5 ft in	
Height	2.9 in	
Blade Angle (Both Directions)	25 degrees	
Cutting Depth	1.3 in	
Compare similar models		
Caterpillar D3B		
Ground Pressure		
Net Power	65 hp	
Operating Weight	15161.2 lb	
<u>Case 455C</u>		
Ground Pressure		
Net Power	63 hp	
Operating Weight	14431.5 lb	
John Deere 450J LGP		
Ground Pressure	4.3 psi	
	по рог	
Net Power	74 hp	
Net Power Operating Weight		
	74 hp	

See {{brand}} {{category}} for sale rbauction.com
See {{brand}} {{category}} for sale ironplanet.com
See {{brand}} {{category}} for sale mascus.com

Need help? Contact Us

English

Company +

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.