



[Home](#)

Komatsu D37E-5 Crawler Tractor



Units

Imperial

Metric

Dimensions

Undercarriage

G	Track Gauge	4.76 ft in
H	Standard Shoe Size	13 in
	Ground Contact Area	2235.11 in2
	Ground Pressure	5.4 psi

Number Of Shoes Per Side	41
Number Of Track Rollers Per Side	6

Specifications

Engine	
Engine Make	2238
Engine Model	S4D102E
Net Power	70 hp
Power Measured @	2350 rpm
Displacement	239.3 cu in
Aspiration	Turbocharged
Operational	
Operating Weight	12015.2 lb
Fuel Capacity	30.4 gal
Cooling System Fluid Capacity	5.9 gal
Engine Oil Capacity	3.2 gal
Powertrain Fluid Capacity	4.5 gal
Final Drives Fluid Capacity	3.2 gal
Transmission	
Transmission Type	Hydroshift
Number Of Forward Gears	3
Number Of Reverse Gears	3
Max Speed - Forward	4.3 mph
Max Speed - Reverse	4.7 mph
Hydraulic System	
Pump Type	gear type
Relief Valve Pressure	2494.7 psi

Compare similar models

<input type="checkbox"/>	John Deere 450C
Ground Pressure	--
Net Power	65 hp
Operating Weight	14400 lb
<input type="checkbox"/>	Komatsu D37P-5
Ground Pressure	5.4 psi
Net Power	80 hp
Operating Weight	12015.2 lb
<input type="checkbox"/>	Case 550H LT
Ground Pressure	5.7 psi
Net Power	67 hp
Operating Weight	14317 lb
<div>Compare</div>	

Find Komatsu D37E-5 Crawler Tractor for Sale

[See Komatsu Crawler Tractor for sale rbaction.com](#)
[See Komatsu Crawler Tractor for sale ironplanet.com](#)
[See Komatsu Crawler Tractor for sale mascus.com](#)

Company



Popular Searches



Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on [rbauction.com](#)

Equipment for sale on [ironplanet.com](#)

Equipment for sale on [mascus.com](#)

[Sell your equipment](#)