

# **RITCHIE** Specs

Search over 15900 equipment specs

<u>Home</u>

### Komatsu D37P-5 Crawler Tractor





### Dimensions

Undercarriage

- G Track Gauge
- H Standard Shoe Size

**Ground Contact Area** 

**Ground Pressure** 

4.76 ft in

13 in

2235.11 in2

5.4 psi

Q

(

Number Of Track Rollers Per Side

# Specifications

Engine	
Number Of Cylinders	4
Engine Make	2238
Engine Model	S4D102E
Net Power	80 hp
Power Measured @	2500 rpm
Displacement	239.3 cu in
Aspiration	Turbocharged
Operational	
Operating Weight	12015.2 lb
Fuel Capacity	30.4 gal
Cooling System Fluid Capacity	5.9 gal
Engine Oil Capacity	3.2 gal
Powertrain Fluid Capacity	4.5 gal
Final Drives Fluid Capacity	3.2 gal
Transmission	
Transmission Type	hydroshift
Number Of Forward Gears	3
Number Of Reverse Gears	3
Max Speed - Forward	4.3 mph
Max Speed - Reverse	4.7 mph
Hydraulic System	
Pump Type	gear type
Relief Valve Pressure	2.5 psi

6

## Compare similar models

John Deere 450C	
Ground Pressure	
Net Power	65 hp
Operating Weight	14400 lb
Komatsu D37E-5	
Ground Pressure	5.4 psi
Net Power	70 hp
Operating Weight	12015.2 lb
Komatsu D37EX-21 KOMSTAT II	
Ground Pressure	5.9 psi
Net Power	85 hp
Operating Weight	13250 lb

Compare

## Find {{brand}} {{model}} {{category}} for Sale

<u>See {{brand}} {{category}} for sale rbauction.com</u> <u>See {{brand}} {{category}} for sale ironplanet.com</u> <u>See {{brand}} {{category}} for sale mascus.com</u> Need help? Contact Us

S English

÷

4

#### Company

#### **Popular Searches**

#### Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.