

< [Bulldozers Komatsu](#)



Komatsu D39EX-22 Specifications & Technical Data (2020-2025)

[Rate this machine now!](#)

Weight: 9.04t – Transport length: 4.335m – Transport width: 2.71m – Transport height: 2.835m – Soil pressure: 0.42kg/cm² – Track width: 460mm



Request offer



Technical specs



Buy & Rent



Valuate & Sell



Parts & Components



D39EX-22

2020–2025

Technical specs - D39EX-22 Komatsu

Specification

Accessories

Datasheets

Specification

Notice: Every data listed is verified by LECTURA Specs team experts. However, incomplete data and mistakes might occur. [Contact our team with any change suggestion.](#)

Weight	9.04 t	Transport length	4.335 m
Transport width	2.71 m	Transport height	2.835 m
Soil pressure	0.42 kg/cm²	Track width	460 mm
Travel speed	8.5 km/h	Reverse travel speed	8.5 km/h
Front blade width	2.71 m	Transmission type	HY
Model series	D	Engine manuf.	Komatsu
Engine type	SAA4D107E-1	Engine power	79.9 kW
Displacement	4.46 l	No. of cylinders	4
Cylinder bore x stroke	107x124 mm	Emission level	Tier III

More technical details, like: blade type, max. drawbar pull, dimension lxxh, revolutions at max torque, max. torque are available in the full technical specs.

Basic model with ROPS cabin and corresponding blade

Special equipment

- ✖ Diesel particulate filter

✖ Rear ripper
- ✖ Tilt device

✖ Aircondition



D39EX-22
2020–2025



[We are turning 40!](#)

2024 is a very special year for LECTURA. In 2024, we celebrate four decades of enriching the industry with machinery data and price development analyses. Reminisce with us about our journey and milestones achieved over the years. It is our mission to boost equipment insights, yet this time, we would love to have you there to boost our long-term market presence jubilations.

Machine inspection

[Mevas inspection](#)

Ask for inspection of your Komatsu D39EX-22 from experts

Mevas is an international operating inspection service for used heavy machinery. Construction machinery inspectors are available in more than 20 countries.

Use this service to minimise the risk when buying used equipment. An inspection by Mevas costs less than repairing a defective hydraulic cylinder.

Provided by:

[Enquire machine inspection](#)



D39EX-22

2020–2025

Buy & Rent

Machine comparison

Compare Komatsu D39EX-22 with similar Bulldozers

Komatsu D39EX-22			
Weight: 9.04 t	Transport length: 4.335 m	Transport width: 2.71 m	Transport height: 2.835 m
<u>Caterpillar D 4 G</u>			
Weight: 7.9 t	Transport length: 4.04 m	Transport width: 1.96 m	Transport height: 2.77 m
<u>Dressta TD 7 H</u>			
Weight: 7.3 t			
<u>Doosan DD100</u>			
Weight: 10 t	Transport length: 4.739 m	Transport width: 2.71 m	Transport height: 2.892 m
<u>John Deere Construction 450K</u>			
Weight: 7.96 t	Transport length: 4.02 m	Transport width: 2.64 m	Transport height: 2.8 m



D39EX-22
2020–2025

Sell Komatsu D39EX-22

[LECTURA Valuation](#)

Bulldozers appraisal with LECTURA Valuation

Whether you need to calculate price of your Komatsu D39EX-22 or valuation of your Bulldozers fleet, LECTURA Valuation will help. Simply fill the form and see the values for Bulldozers in few clicks.

Valuate right now!

Data provided by

Spare parts & Components

[Spare parts](#)

Get spare parts for Komatsu D39EX-22 easily from our partners

Do your lookup for high quality parts for Komatsu D39EX-22 online!



D39EX-22

2020—2025

Check the best offers from our partners and order the Bulldozers spare parts easily today - worldwide.

Get parts for Komatsu D39EX-22 now!

Transport

Transport

Bulldozers Transport & Shipping Services

In case you look for a transport your machine, utilise our services. Search for the best fitting transport quotes for Bulldozers built on transport dimensions and machine weight. Our partners provide extensive options to satisfy your demands.

Ask for transport price

Data provided by

Events & News

News

Construction News by LECTURA 15.04.2025

[Hitachi and KTEG present the next generation of emission-free excavators with autonomous control at Bauma](#)

Hitachi Construction Machinery (Europe) NV (HCME) and KTEG continue their journey towards an emission-free future and present the KTEG ZE135 at Bauma.

[PERI at bauma 2025: Innovation, sustainability and digital solutions for the construction site of the future](#)



D39EX-22

2020—2025

[Volvo CE launches Site Optimization consultancy service to boost efficiency and sustainability.](#)

More industry news

Komatsu products

[Check out 1751 Komatsu products here](#) ▾

More about [Komatsu](#)

^ Back to top

[Privacy policy](#) [Terms of Use](#) [Impressum](#) [Cookies](#)
[Cookie opt-out](#) [Contact](#)



Copyright © 1984-2025 LECTURA GmbH Verlag + Marketing Service
Alle Rechte vorbehalten.