

KOMATSU
D39PX-
24

MODEL

MODEL



KOMATSU

D39PX-24

Equipped with an EPA Tier 4 Final certified engine, the Komatsu D39PX-24 crawler dozer has the cab forward design improved blade response, faster work equipment speed, and an additional “fast-blade mode” that improves blade speed for high-speed grading. The D39PX-24 dozer is extremely maneuverable by providing full power to both tracks during turns or counter rotation steering. It is an ideal choice for any grading or earth moving applications.

EMISSION RATING Tier 4 Final

NET HORSEPOWER 105 HP @2,200 rpm (78 kW @2,200 rpm)

MAX OPERATING WEIGHT 22817 lb (10350 kg)

BLADE CAPACITY 3.14 yd³ (2.4 m³)

Features

Specs & Compare

ADD MODEL

Operating Performance

KOMATSU
D39PX-
24

ADD
MODEL

ADD
MODEL

Blade
Height

2'8" (820 mm)

Blade - Lift
Clearance

1'5" (440 mm)

Blade - Dig
Depth

1'5" (440 mm)

Max Tilt
Adjustment

Undercarriage

Number of
Track Roller::
(each side)

6

Shoe Type

Single Grouser

Standard
Shoe Width

27.5" (700 mm)

Shoes
Number

39

Ground
Contact
Area

5,110 in² (32,970
cm²)

Ground
Pressure

3.98 psi (27.4 kPa)

Travel Speed
- Forward

5.3 mph (8.5 kmh)

Travel Speed
- Reverse

5.3 mph (8.5 kmh)

Engine

Emission
Rating

Tier 4 Final

Make /
Model

Komatsu
SAA4D95LE-7

Piston
Displacement

199 in³ (3.26 L)

Gross
Horsepower

107 HP @2,200
rpm (79 kW
@2,200 rpm)

Net
Horsepower

105 HP @2,200
rpm (78 kW
@2,200 rpm)

Fluid Capacities

Engine
Lubrication

2.9 U.S. gal (11 L)

Cooling
System

KOMATSU
D39PX-
24

9 U.S. gal (34 L)

ADD
MODEL

ADD
MODEL

Special Offers

KOMATSU
D39PX-
24

ADD
MODEL

ADD
MODEL



EXPIRES APRIL 30, 2025

Free Preventative Maintenance Contract With Extended Warranty Purchase

Offer valid throughout Canada and Alaska.

KOMATSU
D39PX-
24

ADD
MODEL

ADD
MODEL

EXPIRES [JUNE 30, 2025](#)

Komatsu Spring Special

Offer valid throughout Canada with exclusions applying to specific regions.

Komatsu Undercarriage Financing

KOMATSU
D39PX-
24

ADD
MODEL

ADD
MODEL