


<u>Home</u>

Komatsu D41A-3 Crawler Tractor



Units Imperial Metric

Dimensions

Dimensions

Α	Length W/ Blade	13.95	5 ft in
---	-----------------	-------	---------

B Width Over Tracks 6.37 ft in

C Height To Top Of Cab 9.17 ft in

D **Length Of Track On Ground** 6.76 ft in

Е	Ground Clearance	1.19 ft in		
F	Length W/O Blade	11.19 ft in		
Undercarriage				
G	Track Gauge	5.06 ft in		
Н	Standard Shoe Size	15.75 in		
	Number Of Shoes Per Side	37		
	Number Of Carrier Rollers Per Side	1		
	Ground Pressure	7.25 psi		
	Number Of Track Rollers Per Side	5		
	Track Pitch	6.89 in		
Specifications				

S

Number Of Reverse Gears

Max Speed - Forward

Specifications	
Engine	
Number Of Cylinders	6
Engine Make	2238
Engine Model	6D105-1
Gross Power	93 hp
Power Measured @	2350 rpm
Displacement	396.1 cu in
Operational	
Operating Weight	21605.4 lb
Fuel Capacity	64.8 gal
Cooling System Fluid Capacity	8.8 gal
Transmission	
Transmission Type	HS
Number Of Forward Gears	3

3

4.8 mph

Max Speed - Reverse	6.8 mph			
Standard Blade				
Width	10.5 ft in			
Height	29.6 in			
Cutting Depth	16.4 in			
Compare similar models				
Komatsu D41E-6**				
Operating Weight	18474.8 lb			
Caterpillar D5C LGP Series III Hystat				
Operating Weight	19780 lb			
Caterpillar D5C Series III Hystat				
Operating Weight	18711 lb			
Compare				

Find {{brand}} {{model}} {{category}} for Sale

See {{brand}}_{{category}} for sale rbauction.com
See {{brand}}_{{category}} for sale ironplanet.com
See {{brand}}_{{category}} for sale mascus.com

English

Company +

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.