

RITCHIE Specs

Search over 15900 equipment specs

<u>Home</u>

Komatsu D41P-6 Crawler Tractor





Dimensions

Dimensions

A	Length W/ Blade	16.06 ft in
В	Width Over Tracks	8.17 ft in
С	Height To Top Of Cab	9.47 ft in
D	Length Of Track On Ground	9.01 ft in

Q

E	Ground Clearance	1.45 ft in		
Undercarriage				
G	Track Gauge	5.88 ft in		
Н	Standard Shoe Size	27.56 in		
	Track Pitch	6.76 in		
	Number Of Shoes Per Side	44		
	Ground Pressure	3.38 psi		
	Number Of Carrier Rollers Per Side	1		
	Ground Contact Area	5956.67 in2		
	Number Of Track Rollers Per Side	7		

Specifications

Engine			
Number Of Cylinders	6		
Engine Make	2238		
Engine Model	S6D102E-1		
Gross Power	106 hp		
Power Measured @	2400 rpm		
Displacement	360.1 cu in		
Aspiration	Turbocharged		
Operational			
Operating Weight	25573.7 lb		
Fuel Capacity	59.5 gal		
Cooling System Fluid Capacity	7.4 gal		
Engine Oil Capacity	6.1 gal		
Hydraulic Fluid Capacity	9.8 gal		
Powertrain Fluid Capacity	5.1 gal		
Final Drives Fluid Capacity	3.5 gal		

Operating Voltage	24 V
Alternator Supplied Amperage	40 amps
Transmission	
Transmission Type	Hydroshift
Number Of Forward Gears	3
Number Of Reverse Gears	3
Max Speed - Forward	4.8 mph
Max Speed - Reverse	5.9 mph
Hydraulic System	
Pump Type	closed center load sensing
Relief Valve Pressure	2987.8 psi
Standard Blade	
Width	10 ft in
Height	41.8 in
Capacity	3.5 yd3
Cutting Depth	19.3 in

Find {{brand}} {{model}} {{category}} for Sale

<u>See {{brand}} {{category}} for sale rbauction.com</u> <u>See {{brand}} {{category}} for sale ironplanet.com</u> <u>See {{brand}} {{category}} for sale mascus.com</u> Need help? Contact Us

S English

÷

4

Company

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.