
Q

RITCHIESpecs

<u>Home</u>

Komatsu D455A-1 Crawler Tractor



Dimensions

Dimensions

Α	Length W/ Blade	36.52 ft in
В	Width Over Tracks	11.42 ft in

C Height To Top Of Cab 14.54 ft in

12.83 ft in

D Length Of Track On Ground

Е	Ground Clearance	1.78 ft in	
F	Length W/O Blade	20.4 ft in	
Und	dercarriage		
G	Track Gauge	8.7 ft in	
Н	Standard Shoe Size	29.93 in	
	Number Of Shoes Per Side	37	
	Number Of Carrier Rollers Per Side	2	
	Ground Pressure	13.94 psi	
	Number Of Track Rollers Per Side	7	
	Track Pitch	12.5 in	
Specifications			

12

S

Engine

Number Of Cylinders		

Engine Make	22	238
Engine Make	22	23

Engine Model	VTA1710-C800

Gross Power	620 hp
-------------	--------

Power Measured @	2000 rpm

Displacement 17	709.9 cu in
------------------------	-------------

Aspiration	turbocharge	ed

Operational

Operating Weight 157630.6 lb

Fuel Capacity 338.2 gal

Cooling System Fluid Capacity 52.9 gal

Transmission

Transmission Type TF

Number Of Forward Gears

Number Of Reverse Gears 4

Max Speed - Forward	9.1 mph		
Max Speed - Reverse	9 mph		
Standard Blade			
Width	15.8 ft in		
Height	84.1 in		
Capacity	34.2 yd3		
Cutting Depth	31.5 in		
Compare similar models			
Liebherr PR776 LITRONIC			
Operating Weight	161354.2 lb		
Caterpillar DD9H			
Operating Weight	185430.9 lb		
Komatsu D475A-3SD			

167639.6 lb

Find {{brand}} {{model}} {{category}} for Sale

See {{brand}} {{category}} for sale rbauction.com
See {{brand}} {{category}} for sale ironplanet.com
See {{brand}} {{category}} for sale mascus.com

Operating Weight

Compare

English

Company +

Popular Searches

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © <u>Privacy Statement| Terms of Use</u> OEM specifications are provided for base units. Actual equipment may vary with options.