




Komatsu D65PX-15E0 Crawler Tractor



Units

Imperial

Metric

Dimensions

Dimensions

C

Height To Top Of Cab

10.57 ft in

D	Length Of Track On Ground	18.12 ft in
E	Ground Clearance	1.33 ft in
	Wheelbase	10.78 ft in
Undercarriage		
G	Track Gauge	6.73 ft in
H	Standard Shoe Size	36.03 in
	Ground Pressure	4.27 psi
	Number Of Shoes Per Side	45
	Number Of Track Rollers Per Side	8
	Ground Contact Area	9318 in2

Specifications

Engine		
	Number Of Cylinders	6
	Engine Make	Komatsu
	Engine Model	SAA6D114E-3
	Gross Power	207 hp
	Net Power	205 hp
	Power Measured @	1950 rpm
	Displacement	505 cu in
	Aspiration	Turbochanged
Operational		
	Fuel Capacity	109.7 gal
	Cooling System Fluid Capacity	9.8 gal
	Engine Oil Capacity	7.4 gal
	Final Drives Fluid Capacity	7.2 gal
Transmission		
	Number Of Forward Gears	3

Number Of Reverse Gears	3
Max Speed - Forward	6.3 mph
Max Speed - Reverse	8.1 mph
Hydraulic System	
Relief Valve Pressure	2990 psi

Compare similar models



[Caterpillar D6N WH](#)

Ground Pressure	4.5 psi
-----------------	---------

Net Power	--
-----------	----



[Komatsu D65PX-15](#)

Ground Pressure	4.4 psi
-----------------	---------

Net Power	205 hp
-----------	--------



[John Deere 850J LGP](#)

Ground Pressure	4.9 psi
-----------------	---------

Net Power	200 hp
-----------	--------

Compare

Find Komatsu D65PX-15E0 Crawler Tractor for Sale

[See Komatsu Crawler Tractor for sale rbauction.com](#)

[See Komatsu Crawler Tractor for sale ironplanet.com](#)

[See Komatsu Crawler Tractor for sale mascus.com](#)

Need help? Contact Us

English

Company +

Popular Searches +

Looking for equipment or trucks?

Ritchie Bros. sells more new and used industrial equipment and trucks than any other company in the world.

Equipment for sale on rbauction.com

Equipment for sale on ironplanet.com

Equipment for sale on mascus.com

Sell your equipment

© 2007-2018 RitchieSpecs Equipment Specifications Ritchie Bros. Auctioneers © [Privacy Statement](#) | [Terms of Use](#)
OEM specifications are provided for base units. Actual equipment may vary with options.