



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Toda

Search

CATEGORIES → COMPACT TRACK LOADERS → JOHN DEERE 319D

John Deere 319D Compact Track Loader

CATEGORY: COMPACT TRACK LOADERS →

MANUFACTURER: JOHN DEERE →

MODEL: 319D →

See all John Deere 319Ds for sale

General Specifications

Dimensions

Dump angle	42 degrees
Dump Height	95 in (240 cm)
Dump reach	28 in (72 cm)
Ground Clearance	10 in (25 cm)
Height - Top of ROPS/FOPS	79 in (200 cm)
Hinge pin height, maximum height	118 in (300 cm)
Length - without Bucket	9 ft (3 m)
Width - without Bucket	7 ft (2 m)

Engine

Aspiration	Turbocharged
------------	--------------

Displacement	147 cu in (2,401 cu cm)
--------------	-------------------------

Engine Make	John Deere
-------------	------------

Engine Model	E 4024HT
--------------	----------

Gross Power	68 hp (51 kw)
-------------	---------------

Net Power	63 hp (47 kw)
-----------	---------------

Number of Cylinders	4
---------------------	---

Peak Torque	170 lbs ft (230 nm)
-------------	---------------------

Power Measured @	2300 rpm
------------------	----------

Torque Measured @	2000 rpm
-------------------	----------

Hydraulic System

Hydraulic Horsepower-Standard Flow	30 hp (22 kw)
------------------------------------	---------------

Pump Flow	16 gpm (59 lpm)
-----------	-----------------

Relief Valve Pressure	3100.1 psi
-----------------------	------------

Loader

Boom breakout force	1,589 lbs (721 kg)
---------------------	--------------------

Bucket Breakout Force	5,125 lbs (2,325 kg)
-----------------------	----------------------

Operating Load	1,903 lbs (863 kg)
----------------	--------------------

Operating Specifications

Alternator Supplied Amperage	70 amps
Fuel Capacity	19 gal (70 l)
Operating Voltage	12 volts
Operating Weight	8,558 lbs (3,882 kg)

Undercarriage

Ground Pressure	5.4 psi
Number of Track Rollers per Side	4



Our Main Office

Construction Equipment Guide
470 Maryland Drive
Fort Washington, PA 19034
800-523-2200

About Us