



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Today's

Search

[CATEGORIES](#) → [CRAWLER LOADERS](#) → [CATERPILLAR 941B](#)

Caterpillar 941B Crawler Loader

CATEGORY: CRAWLER LOADERS →

MANUFACTURER: CATERPILLAR →

MODEL: 941B →

The Caterpillar 941B Crawler Loader is a powerful and versatile machine designed for various construction and earth-moving applications. With a net power of 80 horsepower and impressive hydraulic system capabilities, this machine can efficiently tackle tasks with ease. Its compact dimensions make it suitable for navigating tight spaces, while its robust undercarriage offers stability and durability. Whether you need to move materials, clear debris, or perform other heavy-duty tasks, the Caterpillar 941B Crawler Loader is up for the challenge.

[See all Caterpillar 941Bs for sale](#)

General Specifications

Dimensions

Clearance at Full Height and Dump 9 ft (3 m)

Ground Clearance 1 ft (0 m)

Height - Top of Cab 9 ft (3 m)

Length to Front of Track	11 ft (3 m)
Length with Bucket on Ground	15 ft (5 m)
Reach at Dump Height	3 ft (1 m)
Width to Outside of Tracks	7 ft (2 m)

Engine

Displacement	427 cu in (7,001 cu cm)
Engine Model	3304
Net Power	80 hp (60 kw)
Number of Cylinders	4
Power Measured @	2000 rpm

Hydraulic System

Dump Time	2.5 seconds
Lower Time	2.2 seconds
Pump Flow Capacity	28 gpm (105 lpm)
Pump Type	Vane-type pump
Raise Time	6.7 seconds
Relief Valve Pressure	2500 psi

Operating Specifications

Alternator Supplied Amperage	19 amps
Breakout Force Bucket	14,220 lbs (6,450 kg)
Bucket Capacity - struck	1 cu yd (1 cu m)
Cooling System Fluid Capacity	7 gal (25 l)
Engine Oil Capacity	5 gal (19 l)
Final Drive Fluid Capacity - each	3 gal (10 l)
Fuel Capacity	40 gal (151 l)
Hydraulic System Fluid Capacity	19 gal (72 l)
Max Speed	7 mph (11 kph)
Operating Voltage	24 volts
Operating Weight	24,899 lbs (11,294 kg)
Static Tipping Load	15,829 lbs (7,180 kg)

Undercarriage

Ground Contact Area	2,108 cu in (34,546 cu cm)
Length of Track on Ground	7 ft (2 m)
Number of Shoes per Side	38
Number of Track Rollers per Side	5
Track Gauge	60 in (152 cm)
Track Shoe Width	13 in (33 cm)