



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Todays

Search

<u>CATEGORIES</u> ->> <u>COMPACT TRACK LOADERS</u> ->> <u>JCB 1110T</u>

JCB 1110T Compact Track Loader

CATEGORY: COMPACT TRACK LOADERS →

MANUFACTURER: JCB →

MODEL: 1110T →

See all JCB 1110Ts for sale

General Specifications

Dimensions

Clearance at Max Lift and Dump	8 ft (2 m)
Ground Clearance	11 in (28 cm)
Height - Top of Cab	7 ft (2 m)
Length - with Bucket	12 ft (4 m)
Length - without Bucket	8 ft (2 m)
Reach at Max Lift and Dump	2 ft (1 m)
Turning Radius from Center - inc bucket	87 in (220 cm)

Turning Radius from Center - machine rear	66 in (167 cm)
Width Over Tracks	7 ft (2 m)

Engine

Aspiration	turbocharged
Displacement	238 cu in (3,900 cu cm)
Gross Power	92 hp (69 kw)
Net Power	82 hp (61 kw)
Number of Cylinders	4
Peak Torque	272 lbs ft (369 nm)
Power Measured @	2200 rpm
Torque Measured @	1200 rpm

Hydraulic System

Pump Flow	20 gpm (76 lpm)
Pump Type	hydrostatic drive pumps
Relief Valve Pressure	2682 psi

Loader

Bucket Capacity	1 cu yd (1 cu m)
Operating Load	2,249 lbs (1,020 kg)

Tipping Angle	6437.5 degrees
11 3 3 -	

Operating Specifications

Alternator Supplied Amperage	72 amps
Cooling System Fluid Capacity	4 gal (15 l)
Engine Oil Capacity	3 gal (11 l)
Fuel Capacity	28 gal (107 l)
Hydraulic System Fluid Capacity	9 gal (35 l)
Max Speed - high range	6 mph (10 kph)
Operating Voltage	12 volts
Operating Weight	10,196 lbs (4,625 kg)

Undercarriage

Ground Pressure	4.8 psi
Length of Track on Ground	5 ft (2 m)
Width of Track	13 in (32 cm)