



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Today's

Search

[CATEGORIES](#) → [COMPACT TRACK LOADERS](#) → [JCB 180T](#)

JCB 180T Compact Track Loader

CATEGORY: COMPACT TRACK LOADERS →

MANUFACTURER: JCB →

MODEL: 180T →

[See all JCB 180Ts for sale](#)

General Specifications

Dimensions

Clearance at Max Lift and Dump	7 ft (2 m)
Ground Clearance	9 in (23 cm)
Height - Top of Cab	6 ft (2 m)
Length - with Bucket	11 ft (3 m)
Reach at Max Lift and Dump	2 ft (1 m)
Turning Radius from Center - inc bucket	81 in (206 cm)
Turning Radius from Center - machine rear	62 in (157 cm)

Width Over Tracks

6 ft (2 m)

Engine

Aspiration

turbocharged

Displacement

134 cu in (2,196 cu cm)

Engine Model

404C-22T

Gross Power

60 hp (45 kw)

Number of Cylinders

4

Peak Torque

140 lbs ft (190 nm)

Power Measured @

2800 rpm

Torque Measured @

1800 rpm

Hydraulic System

Pump Flow

16 gpm (60 lpm)

Pump Type

hydrostatic drive pumps

Relief Valve Pressure

3000 psi

Loader

Breakout Force

5,673 lbs (2,573 kg)

Bucket Capacity

1 cu yd (0 cu m)

Operating Load

1,808 lbs (820 kg)

Tipping Angle	5165.5 degrees
---------------	----------------

Operating Specifications

Alternator Supplied Amperage	55 amps
Cooling System Fluid Capacity	3 gal (10 l)
Engine Oil Capacity	3 gal (10 l)
Fuel Capacity	21 gal (80 l)
Hydraulic System Fluid Capacity	8 gal (30 l)
Max Speed - high range	7 mph (11 kph)
Operating Voltage	12 volts
Operating Weight	8,003 lbs (3,630 kg)

Undercarriage

Ground Contact Area	1,395 cu in (22,862 cu cm)
Ground Pressure	5.1 psi
Length of Track on Ground	5 ft (1 m)
Track Gauge	5 ft (1 m)
Width of Track	13 in (32 cm)