



Examples: 'Bobcat Skid Steers', 'Komatsu Dealers', 'Groff Tractor', 'Cat 316', 'Today's

Search

[CATEGORIES](#) → [COMPACT TRACK LOADERS](#) → [JCB 250T](#)

JCB 250T Compact Track Loader

CATEGORY: COMPACT TRACK LOADERS →
MANUFACTURER: JCB →
MODEL: 250T →

[See all JCB 250Ts for sale](#)

General Specifications

Dimensions

Angle of departure	29 degrees
Dig Depth	394 in (1,000 cm)
Dump angle	42 degrees
Dump Height	90 in (228 cm)
Ground Clearance	9 in (23 cm)
Height - Top of Cab	7 ft (2 m)
Length - with Bucket	13 ft (4 m)

Loadover height	10 ft (3 m)
Max. reach @ full height	3 ft (1 m)
Pin height	11 ft (3 m)
Reach @ ground level	4 ft (1 m)
Rollback @ ground	30 degrees
Wheelbase	7 ft (2 m)
Width Over Tracks	6 ft (2 m)
Engine	
Alternator	95 amps
Aspiration	Liquid
Battery	12 V
Cooling system	Liquid
Displacement	269 cu in (4,400 cu cm)
Emissions Certification	EPA-T4F (EU St3B)
Engine Model	EcoMAX TCAE-55
Engine oil service interval hours	500
Fuel	Diesel
Gross Power	74 hp (55 kw)
Peak Torque	295 lbs ft (400 nm)

Power Measured @	2400 rpm
------------------	----------

Torque Measured @	1200 rpm
-------------------	----------

Loader

Breakout Force	6,543 lbs (2,968 kg)
----------------	----------------------

Bucket Capacity	1 cu yd (0 cu m)
-----------------	------------------

Bucket Width	75 in (190 cm)
--------------	----------------

Operating Load	10,622 lbs (4,818 kg)
----------------	-----------------------

Tipping Angle	7720.6 degrees
---------------	----------------

Operating Specifications

Cooling System Fluid Capacity	6 gal (22 l)
-------------------------------	--------------

Engine Oil Capacity	4 gal (15 l)
---------------------	--------------

Fuel Capacity	27 gal (103 l)
---------------	----------------

Hydraulic System Fluid Capacity	15 gal (55 l)
---------------------------------	---------------

Operating Weight	10,622 lbs (4,818 kg)
------------------	-----------------------

Transmission

Travelling speed	7.7 / 12.5
------------------	------------