



Search

[CATEGORIES](#) → [CRAWLER DOZERS](#) → [KOMATSU D37A-5](#)

Komatsu D37A-5 Crawler Dozer

CATEGORY: [CRAWLER DOZERS](#) →**MANUFACTURER:** [KOMATSU](#) →**MODEL:** [D37A-5](#) →

The Komatsu D37A-5 Crawler Dozer is a powerful and reliable machine designed for a variety of earthmoving and construction tasks. With a gross power of 81 horsepower and operating weight of 14,352.1 lbs, this dozer offers optimal performance and efficiency on the job site. Equipped with a 6-cylinder engine and a DPS transmission, the D37A-5 delivers steady power and smooth operation, while its undercarriage features durable components for enhanced durability. Whether pushing dirt, grading land, or performing other tasks, this versatile dozer is a valuable asset for any project.

[See all Komatsu D37A-5s for sale](#)

General Specifications

Dimensions

Ground Clearance	1 ft (0 m)
-------------------------	------------

Height - Top of Cab	9 ft (3 m)
----------------------------	------------

Length of Track on Ground	7 ft (2 m)
----------------------------------	------------

Length w/ Blade	13 ft (4 m)
------------------------	-------------

Width Over Tracks	6 ft (2 m)
--------------------------	------------

Engine

Displacement	299 cu in (4,892 cu cm)
---------------------	-------------------------

Engine Model	6D95L-1
---------------------	---------

Gross Power	81 hp (60 kw)
--------------------	---------------

Number of Cylinders	6
----------------------------	---

Power Measured @	2500 rpm
-------------------------	----------

Operating Specifications

Operating Weight	14,352 lbs (6,510 kg)
-------------------------	-----------------------

Standard Blade

Height	37 in (94 cm)
---------------	---------------

Width	8 ft (2 m)
--------------	------------

Transmission

Number of Forward Gears	3
--------------------------------	---

Number of Reverse Gears	3
--------------------------------	---

Transmission Type	DPS
--------------------------	-----

Undercarriage

Number of Carrier Rollers per Side	1
Number of Shoes per Side	41
Number of Track Rollers per Side	6
Standard Shoe Size	16 in (40 cm)
Track Gauge	5 ft (1 m)
Track Pitch	6 in (15 cm)



Our Main Office

Construction Equipment Guide

470 Maryland Drive

Fort Washington, PA 19034

800-523-2200

About Us

Construction Equipment Guide covers the nation with its four regional newspapers, offering construction and industry news and information along with new and used construction equipment for