



Search

[CATEGORIES](#) → [CRAWLER DOZERS](#) → [KOMATSU D375A-1](#)

Komatsu D375A-1 Crawler Dozer

CATEGORY: [CRAWLER DOZERS](#) →**MANUFACTURER:** [KOMATSU](#) →**MODEL:** [D375A-1](#) →

The Komatsu D375A-1 is a powerful crawler dozer designed for heavy-duty performance and reliability. With a gross power of 515 hp and an operating weight of 124,098.2 lbs, this machine is built for tackling tough jobs with ease. Featuring a standard blade height of 82.5 inches and a width of 15.1 feet, the D375A-1 offers impressive capabilities for pushing and leveling materials. Equipped with a robust undercarriage and transmission system, along with a spacious cab for operator comfort, this crawler dozer is a top choice for demanding construction and earthmoving projects.

[See all Komatsu D375A-1s for sale](#)

General Specifications

Dimensions

Ground Clearance	2 ft (1 m)
-------------------------	------------

Height - Top of Cab	14 ft (4 m)
----------------------------	-------------

Length of Track on Ground	12 ft (4 m)
----------------------------------	-------------

Length w/ Blade	32 ft (10 m)
------------------------	--------------

Length w/o Blade	20 ft (6 m)
-------------------------	-------------

Width Over Tracks	11 ft (3 m)
--------------------------	-------------

Engine

Displacement	1,413 cu in (23,150 cu cm)
---------------------	----------------------------

Engine Model	SA6D170B
---------------------	----------

Gross Power	515 hp (384 kw)
--------------------	-----------------

Number of Cylinders	6
----------------------------	---

Power Measured @	1800 rpm
-------------------------	----------

Operating Specifications

Operating Weight	124,098 lbs (56,290 kg)
-------------------------	-------------------------

Standard Blade

Height	83 in (210 cm)
---------------	----------------

Width	15 ft (5 m)
--------------	-------------

Transmission

Number of Forward Gears	3
--------------------------------	---

Number of Reverse Gears	3
--------------------------------	---

Transmission Type

TF

Undercarriage**Number of Carrier Rollers per Side**

2

Number of Shoes per Side

42

Number of Track Rollers per Side

8

Standard Shoe Size

24 in (61 cm)

Track Gauge

8 ft (3 m)

Track Pitch

10 in (26 cm)

**Our Main Office**

Construction Equipment Guide

470 Maryland Drive

Fort Washington, PA 19034

800-523-2200

About Us