



## Compact Track Loaders / T550 Compact Track Loader

# Specifications & Options

■ Standard  Optional **N/A** Not Applicable

Units **US**

### Bobcat T550

Configuration Standard Roller Suspension Option

## Engine

	Standard	Roller Suspension Option
Emissions Tier (EPA)	Tier 4	Tier 4
Engine Cooling	Liquid	
Engine Fuel	Diesel	
Horsepower	66 hp	
Turbocharged Engine	<input checked="" type="checkbox"/>	

## Performance

	Standard	Roller Suspension Option
Rated Operating Capacity (SAE)	1,995 lb	1,895 lb
Operating Capacity (50% of Tip)	2850 lb	2707 lb
Tipping Load	5700 lb	5414 lb
Operating Weight	7557 lb	7758 lb
Travel Speed	7.1 mph	7.1 mph
Travel Speed (2-speed option)	10.4 mph	n/a
Ground Pressure (Rubber)	4.9 psi	5.8 psi

## Capacities

	Standard	Roller Suspension Option
Fuel Tank	36.5 gal	36.5 gal

## Hydraulic System

	Standard	Roller Suspension Option
System Relief @ Quick Couplers	3,500 psi	
Auxiliary Std Flow	17.1 gal/min	
Auxiliary High Flow	26.7 gal/min	

## Dimension

Length	133 in	
Length without Attachment	104.6 in	
Length with Standard Bucket	133 in	
Width	67 in	71.5 in
Width (with bucket)	68 in	74 in
Height	77.8 in	
Height with Operator Cab	77.8 in	
Height to Bucket Hinge Pin	114.5 in	
Reach @ Maximum Height	19.3 in	
Turning Radius	80 in	80 in
Length of track on ground	54.1 in	
Track Width	12.6 in	
Track Width - Optional	15.8 in	

## Features

Joystick Control	<input checked="" type="checkbox"/>
Air Conditioning	<input checked="" type="checkbox"/>
Backup Alarm	<input type="checkbox"/>
BICS System (Interlock)	<input type="checkbox"/>
Cab Heater	<input checked="" type="checkbox"/>
Operating Lights	<input type="checkbox"/>
Suspension Seat	<input type="checkbox"/>
Two Speed Travel	N/A
Deluxe Instrumentation	<input checked="" type="checkbox"/>
Engine Shutdown	<input type="checkbox"/>
Hydraulic Bucket Positioning	<input checked="" type="checkbox"/>
High Flow Option	<input checked="" type="checkbox"/>
Auxiliary Hydraulics	<input type="checkbox"/>
Bob-Tach Attachment System	<input type="checkbox"/>
Power Bob-Tach	<input checked="" type="checkbox"/>
ACS (Switchable Controls)	<input checked="" type="checkbox"/>
Ride Control	<input checked="" type="checkbox"/>
Horn	<input type="checkbox"/>

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors.